

APPENDIX D

CCAC CATEGORIES OF INVASIVENESS FOR WILDLIFE STUDIES

Category of Invasiveness A

Methods used on most invertebrates or on live isolates

Possible examples:

the use of tissue culture and tissues obtained at necropsy; the use of eggs, protozoa or other single-celled organisms; experiments involving containment, incision or other invasive procedures on metazoa; and studies in which the animals are observed without any disturbance to them.

Category of Invasiveness B

Methods used which cause little or no discomfort or stress

Possible examples:

observational studies in which there is some disturbance to the animals but not to the point that the same individuals are repeatedly observed so as to habituate or otherwise modify their behavior; census or other surveys which disturb animals but which do not involve capture or marking individuals; non-invasive studies on animals that have been habituated to captivity; short periods of food and/or water deprivation equivalent to periods of abstinence in nature.

Category of Invasiveness C

Methods which cause minor stress or pain of short duration

Possible examples:

capture, using methods with little or no potential to cause injury and marking of animals for immediate release; long-term observational studies on free ranging animals where the behavior of individuals may be altered by repeated contact; brief restraint for blood or

tissue sampling; short periods of restraint beyond that for simple observation or examination, but consistent with minimal distress; short periods of food and/or water deprivation which exceed periods of abstinence in nature; exposure to non-lethal levels of drugs or chemicals; low velocity darting and slow-injection darts with immobilization chemicals. Such procedures should not cause significant changes in the animal's appearance, in physiological parameters (such as respiratory or cardiac rate, or fecal or urinary output), in social responses or inability to survive.

Note: During or after Category C studies, animals must not show self-mutilation, anorexia, dehydration, hyperactivity, increased recumbency or dormancy, increased vocalization, aggressive-defensive behavior, or demonstrate social withdrawal and self-isolation.

Category of Invasiveness D

Methods which cause moderate to severe distress or discomfort

Possible examples:

capture, using methods that have the potential to cause injury (e.g., high velocity darting and rapid-injection darts with immobilization chemicals, net gunning, etc.); maintenance of wild caught animals in captivity; translocation of wildlife to new habitats; major surgical procedures conducted under general anesthesia, with subsequent recovery; prolonged (several hours or more) periods of physical restraint; induction of behavioral stresses such as maternal deprivation, aggression, predator-prey interactions; procedures which cause severe, persistent or irreversible disruption of sensorimotor organization.

Other examples in captive animals include: induction of anatomical and physiological abnormalities that will result in pain or

distress; the exposure of an animal to noxious stimuli from which escape is impossible; the production of radiation sickness; exposure to drugs or chemicals at levels that impair physiological systems (**N.B. Experiments described in this paragraph would be Category E if performed on wildlife immediately prior to release**).

Note: Procedures used in Category D studies should not cause prolonged or severe clinical distress as may be exhibited by a wide range of clinical signs, such as marked abnormalities in behavioral patterns or attitudes, the absence of grooming, dehydration, abnormal vocalization, prolonged anorexia, circulatory collapse, extreme lethargy or disinclination to move, and clinical signs of severe or advanced local or systemic infection, etc.

Category of Invasiveness E

Procedures which cause severe pain near, at, or above the pain tolerance threshold of unanesthetized, conscious animals

This Category of Invasiveness is not necessarily confined to surgical procedures, but may include exposure to noxious stimuli or agents whose effects are unknown; exposure to drugs or chemicals at levels that (may) markedly impair physiological systems and which cause death, severe pain, or extreme distress; behavioral studies about which the effects of the degree of distress are not known; environmental deprivation that has the potential to seriously jeopardize an animal's well-being; use of muscle relaxants or paralytic drugs without anesthetics; burn or trauma infliction on unanesthetized animals; a euthanasia method not approved by the CCAC; any procedures (e.g., the injection of noxious agents or the induction of severe stress or shock) that will result in pain which approaches the pain tolerance threshold and cannot be relieved by analgesia (e.g., removal of teeth without analgesia, or when toxicity testing and experimentally-induced infectious disease studies have death as the endpoint); capture methods with a high potential of causing severe injury that could result in severe chronic pain and/or death (e.g., leghold traps)